

F  
FOLIAR




# PER "4" MAX 13-0-0

## TURF DENSITY

*Per "4" Max* is a proprietary biostimulant nutrient with naturally occurring growth enhancing and antioxidant materials complexed with carbon compounds. Field and university tested, *Per "4" Max* compliments other sound turf manage

- Density and Rooting
- Recovery and Transition
- Vigor and Delayed Senescence
- Leaf Quality and Color

*Per "4" Max* is designed to sustain turf strength, vigor, and stress resistance. It is a fortified nutrient compound containing balanced, biologically active fermentation materials based on patented technology.



"The (*Per "4" Max* based) treatments definitely improved turf quality in both fertile and unfertile conditions."

*Southern Illinois University*



[www.floratine.com](http://www.floratine.com)

topical growth  
CH<sub>2</sub>O + N(+S) + energy → amino acids

## TECHNICAL INFORMATION

**NITROGEN** - Essential for chlorophyll production, amino acid production, and protein production.

**SULFUR** - Enzyme activator for nitrogen.

**MAGNESIUM** - Component of chlorophyll.

**IRON** - Catalyst for chlorophyll formation.

**MANGANESE** - Necessary for nitrogen, phosphorous, and magnesium uptake.

**ORGANIC EXTRACTS** - Glycomics and amino acids for translocation, antioxidants to neutralize free radical damage, and phytochemical compounds to enhance color and growth.

Amino acids are produced during respiration to sustain living tissue.



### NUTRIENT CONTENT

Total Nitrogen (N) . . . . .	13.00%
13.00% Urea Nitrogen	
Sulfur (S) . . . . .	2.20%
Magnesium (Mg) . . . . .	0.50%
Iron (Fe) . . . . .	2.00%
Manganese (Mn) . . . . .	1.00%

Derived from urea, magnesium sulfate, ferrous sulfate, and manganese sulfate.

Also contains other naturally occurring fermentation materials, antioxidants, and amino acids.

Net Weight: 10.33 lb/gal  
1.238 kg/L

## PROFESSIONAL USE GUIDELINES

5

**APPLICATION:** Apply with any equipment that delivers a fine even spray mist to the target area utilizing 02-04 tips for a total spray volume of 20-40 gpa (200-350 L/ha). Do not water in. Wait at least 2 hours to irrigate.

### RATE OF APPLICATION:

**Warm Season Grass:** At spring dormancy break, apply at the rate of 3 fl oz / 1000 sq ft (10 L/ha). Thereafter, apply at the rate of 1.5-3.0 fl oz / 1000 sq ft (5-10 L/ha) every 10-14 days.

**Cool Season Grass:** Apply in the spring or fall or when the grass is actively growing. Do not apply to cool season grasses if temperature is 85°F (30°C) or above. Apply at the rate of 1.5-3.0 fl oz / 1000 sq ft (5-10 L/ha) every 10-14 days.

**COMPATIBILITY:** *Per "4" Max* is tank mix compatible with many systemic fungicides, insecticides, and nutrient solutions. Do not mix with *Astron*. Jar test when in doubt. *Per "4" Max* contains a very high solids content and therefore needs to be shaken intensely to ensure a homogeneous mixture. For best mixing results, remove tank strainer prior to product addition.



Floratine Products Group  
141 Eastley • Suite 106 • Collierville, TN 38017  
901.853.2898 • www.floratine.com

DISTRIBUTED BY: